



THE NEW MATTER OF DESIGN

PRODUCT INTRODUCTION




PU STONE

PU stone is an artificial decorative material mainly made of polyurethane (PU), which can highly imitate the texture and appearance of natural stone, and at the same time has the characteristics of being lightweight, environmentally friendly and convenient for construction. It is made by pressing polyurethane materials through molds and spraying environmentally friendly coatings. Its raw material, polyurethane, is a high-molecular compound, featuring heat resistance (-20°C to 80°C), non-toxicity and no pollution. The mold is finely polished according to the texture and shape of real stone, making the surface of the finished product show a realistic concave-convex texture. It even achieves the effect of "false and misleading".

DIRECTORY

- 1 PU Normal Stone
- 2 PU Mushroom Stone
- 3 Rock Wall
- 4 PU Thin Stone slab
- 5 Rock
- 6 Custom Series
- 7 Styling Series
- 8 PU Components Series





18 COLORS AVAILABLE



1 PU NORMAL STONE

PU NORMAL STONE PANEL (THIN TYPE)

Size

1200 * 600mm

Thickness


1-2cm

Weight

0.9-1kg/pc



PU NORMAL STONE PANEL (THICK TYPE)



Size

1200 * 600mm



Size

1200 * 600mm



Thickness

1-2cm



Thickness

2-5cm



Weight


1.3-1.6kg/pc



Weight

2kg/pc

PU STONE PANEL HIGH-RELIEF TEXTURE



Size

1200 * 600mm

Thickness

2-12cm

Weight

3.5-3.7kg/pc





Size

1500*750mm
3000*750mm
2400*300mm
2400*400mm
2400*450mm
2400*600mm
2400*600mm
2400*800mm

Thickness


2-6cm
2-6cm
2-4cm
2-4cm
2-6cm
1-3cm
2-6cm
2-6cm

Weight


6.kg/pc
6.6kg/pc
3kg/pc
3.5kg/pc
3.2kg/pc
4.1kg/pc
3.8kg/ pc
7kg/pc



PU NORMAL STONE PANEL (MIDDLE SIZE)



PU NORMAL STONE PANEL (SUCCESSIVE TEXTURE ABCDE)



Size

1200 * 600mm
2400 * 600mm

Thickness

2-6cm

Weight

1.7-2kg/pc
3.2kg/pc



PU NORMAL STONE PANEL (LARGE PLATE)



Size

1200*1800mm
1200*3000mm



Thickness

2-6cm
2-10cm



Weight

6.5kg/pc
9.6kg/pc

PU SPLASH STONE



Size

1300*3000mm

Thickness

2-4cm

Weight

9kg/pc



PU MUSHROOM STONE NEGATIVE CORNER



Size

1200 * 200-400mm

Thickness

2-4cm

Weight

3kg/pc

PU MUSHROOM STONE POSITIVE CORNER





2 PU MUSHROOM STONE



Size

1200*600mm

Thickness

1.5-5cm

Weight

1.8kg/pc



Size

- 600* 600mm
- 900* 450mm
- 1200* 450mm
- 1000* 600mm
- 1200* 600mm
- 1500* 750mm

Thickness

- 2-8cm
- 2-8cm
- 2-11cm
- 2-11cm
- 2-8cm
- 2-14cm

Weight

- 1.3kg/pc
- 2.2kg/pc
- 2.3kg/pc
- 2.8kg/pc
- 2.5kg/pc
- 6.6kg/pc

PU MUSHROOM STONE WALL NEGATIVE ANGLE



Size

600 * 800-400mm


Thickness

2-8cm

Weight

3.2kg/pc

PU MUSHROOM STONE POSITIVE ANGLE





3 ROCK WALL

ROCK WALL



Size

1200*600mm

Thickness

1.5-5cm

Weight

1.8kg/pc

ROCK WALL



Size

2400*600mm


Thickness

2-7cm

Weight

5.6kg/pc

ROCK WALL (SUCCESSIVE GRAIN: ABCDEF PATTERNS)



Size

2400*600mm

Thickness

2-7cm

Weight

5.6kg/pc

ROCK WALL (SINGLE PATTERN, SUCCESSIVE GRAIN)



Size


2400*800mm

Thickness


2-12cm

Weight

8.6kg/pc



CONCAVE-CONVEX ROCK WALL



Size

1200*3000mm

Thickness

2-12cm

Weight

11kg/pc

CONCAVE-CONVEX ROCK WALL (SUCCESSIVE ABA GRAIN)



Size


1200*3000mm

Thickness

2-12cm

Weight

11kg/pc



KUNLUN MOUNTAINS ROCK WALL (SUCCESSIVE GRAIN)



Size


1500*750mm
3000*750mm

Thickness

2-12cm

Weight

3.5-3.7kg/pc
7kg/pc





4 PU THIN STONE SLAB

PU THIN STONE SLAB



Size

1200*3000mm
2400*600mm

Thickness

2cm

Weight

8.5kg/pc
3.4kg/pc





5 ROCK



Size

3000*750mm

Thickness


1.5-2cm

Weight

6kg/pc



PU LIME STONE



Size

600 1200mm
600 2400mm
600 3000mm
750 3000mm

Thickness


1.5-5cm
1.5-5cm
1.5-5cm
1.5-10cm

Weight

2.4kg/pc
4.8kg/pc
9.5kg/pc
11kg/pc



PU GOLDEN FLOWER STONE (ONE DESIGN,SUCCESSIVE GRAIN)



Size


1200*3000mm

Thickness

2-4cm

Weight

8kg/pc



Size

1200* 600mm
2400* 600mm

Thickness

1.5-4cm

Weight

1.5-2kg/pc
3-4kg/pc

PU FLAME STONE



Size

1200*3000mm

Thickness

2-3cm

Weight

8kg/pc



PU ARTIFICIAL STONE (TRANSLUCENT)



Size

290*340*34mm

400*310 *200mm

480*480*380mm

550*470*550mm

820*430*400mm



PU ARTIFICIAL STONE (TRANSLUCENT)



Size

950*640*430mm





6 CUSTOM SERIES



Size

Customizable, maximum
6000 * 4600mm


Thickness

2-15cm

Weight

15kg/pc






7 STYLING SERIES



Size
3000*600mm

Thickness
2-4cm

Weight
7kg/pc



PU WAVE STONE



Size


1200*3000mm

Thickness

2-3cm

Weight

8kg/pc



PU STAR CLOUD STONE



Size

1200*600mm
2400*600mm

Thickness


2-3cm

Weight

1.8kg/pc
3.6kg/pc



PU WATER FLOW STONE



Size

2400*600mm
1200*600mm

Thickness

2-3cm

Weight

3.6kg/pc
1.8kg/pc

PU ROUND LINE STONE



Size

2400*600mm
1200*600mm

Thickness

1.5-2cm

Weight

3.kg/pc
1.5kg/pc




PU MOON STONE



Size	Thickness	Weight
2400 *600mm	1.5-5cm	4.2kg/pc
1200* 600mm	1.5-5cm	2.1kg/pc
1200 *1200mm	2-6cm	6kg/pc

PU METERO CRATER



Size

1200*600mm
2400*600mm

Thickness

2-3cm


Weight

2kg/pc
4kg/pc


LUNAR SURFACE SPHERE



Diameter
1200mm



PU GRAVEL(SMALL)



Size

2400*600mm

Thickness


2-4cm

Weight

4.5kg/pc



PU FEATHER STONE SLAB



Size

900* 200mm

Thickness

2-6cm

Weight

0.8kg/pc



PU CLASSICAL TILE



Size

1200*400mm
2400*400mm

Thickness

2cm

Weight

1.5kg/pc
3kg/pc

MISCELLANEOUS STRIPS

**Size**

1200*600mm
2400*600mm

Thickness

2-4cm

Weight

1.9kg/pc
3.8kg/pc

LITTLE STRIP STONE



Size

1200*600mm
2400*600mm
3600*600mm

Thickness

1-2cm

Weight

1.8kg/pc
3.7kg/pc
5.5kg/pc



STONE COLUMN



Size

900* 200mm

Thickness

2-6cm

Weight

0.8kg/pc

PU TURTLE-SHAPE STONE



Size

1500*750mm

Thickness

1.5-3cm

Weight

2.5kg/pc

PU CASTLE STONE



Size


1500*750mm
3000*750mm

Thickness

2-5cm
2-5cm

Weight

4.5kg/Pc
9kg/pc



PU MAYA STONE



Size

1500*750mm
3000*750mm


Thickness

1-4cm
1-4cm

Weight

4.5kg/Pc
4.5kg/pc

PU FORTRESS STONE



Size

1200*600mm
2400*600mm

Thickness

2-4cm
2-4cm

Weight

2.3kg/Pc
4.6kg/pc



Size

750*1500 mm
750*3000mm

Thickness

2-5cm
2-5cm

Weight

9kg/pc
4.5kg/pc


PU STONE BRICK WALL



Size
2400* 600mm

Thickness
2-5cm

Weight
4.5kg/pc



PU ROCK BLOCK



Size


1200*600mm
2400*600mm
3600*600mm

Thickness

2cm

Weight

2.2kg/pc
4.4kg/pc
6.6kg/pc



PU OLD WOOD



Size

3000*750mm

Thickness

2-5cm

Weight

6.6kg/pc

PU AROMATIC HARDWOOD PANEL



Size

2400*600mm

Thickness

2-3cm

PU CARBONIZED WOOD PANEL




Size

3000*700mm

Thickness

2cm



FREE WIND



Size
3000*600mm

Thickness
2-5cm

Weight
9.5kg/pc


HONEYCOMB PATTERN





Size
1200*600mm

Thickness
2-5cm

Weight
4kg/pc



TEN-MILE CASTLE



Size
1200*600mm

Thickness
2-5cm

Weight
4kg/pc

RING A BELL



Size
1200*600mm

Thickness
2-5cm


Weight
3.5kg/pc

PU FAIR-FACED CONCRETE PANEL




Size
1200*600mm

Thickness
2cm



Color 5



Color 3A

PU BRICK-ART TRAVERTINE PANEL



Size

1200*600mm

Thickness

2-3cm



8 PU COMPONENTS SERIES



Size



1200*600mm
 1200*600mm
 2400*600mm

Thickness

3cm
 3cm
 6cm

Weight

1.35kg/pc
 2.7kg/pc
 3.55kg/pc



PU SQUARE



Size
1200*600mm

Thickness
2-4cm

Weight
1.4kg/pc



PU CIRCLE




Size
1200*600mm

Thickness
2-4cm

Weight
1.4kg/pc

ARC DE TRIOMPHE



Size

1200*600mm
2400*600mm


Thickness

2-4cm

Weight

2.3kg/pc
4.6kg/pc

PU CHORD



Size

600*600mm
1200*600mm
2400*600mm
3000*600mm

Thickness

1-4cm

Weight

1.3kg/pc
2.3kg/pc
4.6kg/pc
7kg/pc

PU LONG LATTICE



Size

1500*600mm
3000*600mm

Thickness

2-5cm

Weight

3.3kg/pc
6.6kg/pc

PRODUCT INTRODUCTION



SOFT STONE

Cement Cladding Sheet, mainly composed of natural stone powder and modified concrete and other inorganic materials, is formed by mold casting and demolding. It can be used on the interior and exterior walls of buildings. It is A1-level fireproof and has undergone water-proof surface treatment before leaving the factory. It is highly durable and has a weather resistance of 15 to 20 years.

PRODUCT ADVANTAGES



FORMALDEHYDE-FREE



CLASS A FIRE RESISTANCE



WATERPROOF & MOISTURE-RESISTANT



UV-RESISTANT



INSECT-PROOF



REALISTIC STONE IMITATION




FREE CUTTING



EASY&QUICK INSTALLATION

CONTENTS

1. Soft Stone-Travertine Series
2. Soft Stone-Rammed Earth Series
3. Soft Stone-Wood Grain Series
4. Soft Stone Collection





1 SOFT STONE-TRAVERTINE SERIES

MILAN TRAVERTINE



Size

600*1200mm
600*2400mm
1200*2400mm

Thickness

3-5mm



Milan Yellow



Milan Whitewhite



Milan Gray

LINEAR TRAVERTINE



Size


600*1200mm
600*2400mm
1200*2400mm

Thickness


3-5mm



Red



Roman White



Roman Yellow



Light Grey



Claybank

DOLOMITIC TRAVERTINE

Size

600*1200mm
600*2400mm
1200*2400mm

Thickness

3-5mm



Andean White



Andean Red



Dark Grey



Clay Bank




ROMANITE

Size

600*1200mm
600*2400mm
1200*2400mm

Thickness

3-5mm



Cloudy White



Cloudy Yellow



Cloudy Grey

HUGEROMANITE

Size

600*2900mm
600*2400mm
1200*2900mm

Thickness

3-5mm




Golden Gray



White Golden



White Jade



TRAVERTINE OCEANIC

Size

600*2400mm
1200*2400mm
1200*3000mm

Thickness

3-5mm



Beige



Gradient Grey



GOLDEN TRAVERTINE

Size

600*1200mm

Thickness


3-5mm



WhiteGolden



GrayGolden



NEW TRAVERTINO

Size

600*3000mm
1200*3000mm

Thickness


3-5mm




Purewhite



Beige



Light Grey



DarkGrey



TRAVERTINO

Size

600*1200mm

Thickness

3-5mm



Beige



Purewhite



Concrete



GradientYellow



Gradient Grey



ITALIAN TRAVERTINE

Size

600*2900mm
1200*2900mm

Thickness


3-5mm



White



Gray

Coffee Brown
Travertine

Red

ITALY HUGE TRAVETINE

Size

600*1200mm
600*2400mm
600*2900mm
1200*2400mm
1200*2900mm

Thickness

3-5mm



New Linear
Travertine
color(Roma White)



New Linear
Travertine
color(Milane)





2 SOFT STONE-RAMMED EARTH SERIES

RAMPART RAMMED EARTH

Size

570*2940mm

Thickness

2-4mm

Weight

4-4.5kg/pc



Beige



Grey White




Khaki



Brown Red



Light Grey



CAVE RAMMED EARTH BOARD

Size

570*2940mm

Thickness

2-4mm

Weight

4-4.5kg/pc



Beige



Khaki



Brown Red



Light Grey



MARSEILE RAMMED EARTH BOARD

Size

580*2400mm

Thickness

3-5mm

Weight

4-4.5kg/pc



Light Grey



Light Yellow



Khaki



Red



Orange





3 SOFT STONE-WOOD GRAIN SERIES

3D WOOD GRAIN

Size

1050*3000mm

Thickness

1-2mm



Yellow



Brow



Dark Brow



PINE BARK

Size

780*1950mm

Thickness

2-6mm



Yellow



Brown



Dark Brown



Black

3D CONCRETE BOARD

Size

565*2950mm
1130*2950mm

Thickness

3-5mm



Light Grey



Medium Grey



WOOD CONCRETE BOARD

Size

565*2950mm
1130*2950mm

Thickness

3-5mm



Light Grey



Medium Grey



TALIAN WOOD

Size

600*2900mm
1200*2900mm

Thickness

3-5mm



Light Brown



Yellow



Light Grey



POLY WOOD BOARD

Size

190*1500mm
590*3000mm
1190*3000mm

Thickness

3-5mm



Yellow



Light Brown



CRUDE WOOD RIPPLE BOARD



Yellow



Light Yellow



Light Brown



Dark Brown

Size

600*3000mm
1200*3000mm

Thickness

3-7mm

ANCIENT WOOD BOARD

Size

190*1200mm
595*2400mm
1190*2400mm

Thickness

3-5mm



Khaki



Brown



Dark Brown

SAWMILLING

Size

580*3150mm

Thickness

7-10mm



Beige



Dark Grey




Yellow



Red



Gradient Brow




ZEN ROCK WOOD

Size

600*2900mm

Thickness

3-6mm



Beige



Yellow



Dark Grey



CHARCOAL BURT WOOD

Size


580*3000mm
1180*3000mm

Thickness

3-5mm



Dark Grey





4 SOFT STONE-WOOD GRAIN SERIES

CONCRETE BOARD

Size

600*3060mm

Thickness

3-5mm



Pure White



Beige



Light Grey



Medium Grey

ANDO CEMENT BOARD

Size

600*1200mm
600*2400mm
1200*2400mm

Thickness

3-5mm



Warm



Cement Grey



MS CEMENT BOARD

Size

600*1200mm
600*2400mm

Thickness

3-5mm



Light Grey



Medium Grey




Size

600*1200mm
600*2400mm
1200*2400mm

Thickness

3-5mm



gold

LIMESTONE

Size

600*1200mm

Thickness

3-5mm



STARMOON STONE

Size

1180*3200mm

Thickness

5-13mm




Beige



Dark Grey



Deep Khaki




HILLS

Size

1130*2820mm

Thickness

5-17mm



Warm White



Coffee Grey



Earth

ROUGH GRANITE

Size

600*1200mm

Thickness


3-5mm




Beige



Dark Grey



Pure white



DACITE

Size

1180*3060mm

Thickness

3-5mm



Dark Grey



Beige



ROCK CUT STONE

Size

1135*2298mm

Thickness

3-8mm



Dark Grey



Beige




SMALL ROCKCUT STONE

Size

600*900mm

Thickness

3-5mm



Dark Grey



Beige

DESERT STONE

Size

1180*3160mm

Thickness


3-8mm



Khaki



Beige




MUD-BRICK WALL

Size

1160*2900mm

Thickness

3-7mm



Brown

CLIFF STONE

Size

300*2400mm

Thickness

2-9mm




Beige



Dark Grey



Light Yellow



AGE STONE

Size

600*1200mm

Thickness

3-5mm



Beige



Light Grey



Medium Grey




Khaki



Gradient Yellow



Gradient Grey



CUT STONE

Size

600*1200mm

Thickness

3-5mm



Red



Beige



Grey



Dark Grey



RIDGED STONE

Size

600*2980mm

Thickness

2-8mm



Pure white



Beige



Gray



MURETTO STONE

Size

300-600mm

Thickness

3-5mm



Beige



Dark Grey



Light Gray



WATER FLOW STONE

Size

600*2400mm

Thickness

8-9mm



Beige



Dark Grey



ROUND LINE STONE

Size

595*2800mm

Thickness

2-8mm



Beige



Dark Grey

LINE STONE

Size

600*3000mm

Thickness


4-8mm



Beige



Dark Grey



CHRIS GREY VEINSTONE

Size

600*3000mm

Thickness

4.4-5mm



Grey




FINE LINE STONE

Size

600*3000mm

Thickness


3-5mm



Beige



Concrete Grey



CONVEX ROMAN COLONNETTE

Size

608*3000mm

Thickness

5.5-6mm



Ivory



Limestone Yellow

RUST BOARD

Size

270*2940mm
(Medium Plaid)

1180*3060mm
(Bush-hammered)

Thickness

3-5mm



Medium Plaid



Bush-hammered


ITALIAN ASH MOUNTAIN STONE

Size

600*1200mm

Thickness

3-5mm



Caslan



Normandy Grey

SUNSET GOLDEN MOUNTAIN

Size

600*1200mm
1200*2400mm

Thickness

2.5-3.5mm



Dark Claybank



Golden Yellow



Dark Grey



Silver Grey



MURETTO STONE

Size

600*2400mm
1200*2400mm

Thickness

2.5-3.5mm



Claybank


3D BANBOO MAT

Size

900*2100mm

Thickness

1.5-2.5mm



Warm Gray



Elm Color



Antique Color

WOVEN

Size

600*1500mm

Thickness

3-5mm




Beige



Khaki



Jacinth



Grey




W WEAVING

Size

600*1500mm

Thickness

3-5mm



FOAMED ALUMINIUM BOARD

Size

600*2400mm
1200*2400mm

Thickness

3-5mm



Silver



Golden



CONTENTS

9 PET Wall Print—Wood

10 PET Wall Print—Granite

11 PET Wall Print—Granite

12 PET Wall Print—Cloth





INTRODUCTION TO PET ACOUSTIC PANELS

PET Acoustic Panel is a new eco-friendly sound-absorbing material made from polyester fiber (PET), widely used in construction, decoration and industry. Its raw material usually comes from recycled plastic bottles or other polyester waste, hot-pressed into a dense, uniform porous structure that delivers high noise reduction (NRC 0.7–0.9) by absorbing mid- and high-frequency sounds and cutting echo and reverberation.

Key benefits: green and safe—non-toxic, formaldehyde-free, certified to SGS and EU REACH; fire-retardant to Class B1 for public venues; lightweight, easy to cut and install, impact-resistant, durable and low-maintenance; available in rich colors and surface finishes for strong decorative impact.

Typical applications: offices, meeting rooms, schools, hospitals, restaurants, home cinemas, etc. Panels can be wall- or ceiling-mounted with adhesive, nails or clips, and can be custom-sized, shaped or patterned for bespoke designs.

WALL PRINT
—WOOD





GRS-MW-01001



GRS-MW-01002



GRS-MW-01003



GRS-MW-01004



GRS-MW-01005



GRS-MW-01006



GRS-MW-01007



GRS-MW-01008



WALL PRINT
—GRANITE



GRS-HC-01001



GRS-HC-01002



GRS-HC-01003



GRS-HC-01004



GRS-HC-01005



GRS-HC-01006



GRS-HC-01007



GRS-HC-01008



GRS-HC-01009



GRS-HC-01010



GRS-HC-01011




GRS-HC-01012



WALL PRINT
—GRANITE




GRS-LTS-01001



GRS-LTS-01002



GRS-LTS-01003



GRS-LTS-01004




GRS-LTS-01005




GRS-LTS-01006



GRS-LTS-01007



GRS-LTS-01008



GRS-LTS-01009



GRS-LTS-01010




GRS-LTS-01011




GRS-LTS-01012



WALL PRINT
—CLOTH



GRS-BW-01001



GRS-BW-01002



GRS-BW-01003



GRS-BW-01004



GRS-BW-01005



GRS-BW-01006

WALL PRINT
—WOOD



CONTENTS

1. WPC INDOOR WALL PANEL
2. WPC CEILING
3. WPC COLUMN
4. Wpc Wall Panel Outdoor
5. Wpc Decking
6. Wpc FENCE
7. Spe Flooring
8. Acoustic Wall Panel
9. UV Marble sheet
10. PS Wall Panel&PS Skirting
11. Color Options





WPC INDOOR WALL PANEL

WPC INDOOR WALL PANEL



SIZE:160*24MM



SIZE:195*12MM



SIZE:195*28MM



SIZE:160*15MM



SIZE:160*24MM



SIZE:45*9MM



SIZE:150*9MM



SIZE:170*18MM



SIZE:155*18MM



SIZE:160*24MM



SIZE:195*14MM



SIZE:152*12MM



SIZE:210*9MM



SIZE:210*20MM



SIZE:145*8.5MM



SIZE:159*15MM



SIZE:200*9MM



SIZE:200*9MM



SIZE:204*10MM



SIZE:200*8MM



SIZE:195*12MM



SIZE:196*12MM



SIZE:173*15MM



SIZE:104*10MM

WPC WALL PANEL



Item size : 160*24




Item size :160-
Half circle



Item size : 200*19



Item size :159-
Wave semicircle



WPC WALL PANEL



Item size: 204*12



Item size: 600*8



Item size: 40*50



Item size: 50*60



FLAT WPC WALL PANEL




SIZE:400*8 MM
Flat slat / V slat




SIZE:600*8 MM
Flat slat / V slat



SIZE:600*9 MM



Flat slat




V slat



Click edge seamless

BAMBOO FIBER PANEL



Size

Width:1220mm

Length:2440mm/2800mm/2900mm(Can Be Customized)

Thickness:5mm/8mm

Density:650kg/m³, 700kg/m³

Advantage

Waterproof,Eco-Friendly,Flame retardant,Install easily
Suitable for various occasions


WPC INDOOR WALL PANEL



Ordinary pvc film



High glossy PET film



Mirror pvc film



Water Ripples film



Metal pvc film



Gilded pvc film

Slotting Type



Flat Seam




Double Groove



Click Lock

INSTALLATION OF WPC WALL PANEL

Installation Tools



glue



Glue gun



Buckle clip



saw




Electric screwdriver




Metal accessories

Installation Method



1.Install accessories



2.Apply glue on the back



3.Screw in the screws



4.Splicing installation completed

WPC CEILING



SIZE
40*45MM



SIZE
40*60MM



SIZE
50*60MM




SIZE
40*80MM



SIZE
50*90MM



SIZE
100*50MM



WPC COLUMN



SIZE:40*25MM



SIZE 40*50MM



SIZE:75*50MM



SIZE:100*50MM



SIZE:50*150MM



SIZE:50*50MM



SIZE:100*100MM

ACCESSORIES



size:30*40mm



size:25*25mm
30*30mm



size:40*24mm



size:20*24mm




WPC wall panel clips



Ceiling base



Column accessories



1. Skirting line 2. External corner 3. Internal corner 4. Connecting lines-C 5. Mixture corner
6. Middle line with led space 7. Connecting lines-A 8. End-up 9. Connecting lines-B 10. T-line



Matte gold



Silver



Black



Gold



Rose gold



Skirting line



End-up



Middle line with led space



Double H line



H line



Internal corner



1st generation



SIZE:220*26MM



SIZE:220*26MM



SIZE:220*26MM

2nd generation



SIZE:220*26MM



SIZE:220*26MM



SIZE:220*26MM



SIZE:220*26MM



WPC DECKING



1st generation



SIZE:145*22MM



SIZE:140*25MM



SIZE:140*25MM



SIZE:140*23MM



SIZE:150*25MM



SIZE:140*25MM



SIZE:150*25MM



SIZE:150*22MM

2nd generation

WPC FENCE



1st generation



SIZE:140*20MM



SIZE:150*20MM

2nd generation



SIZE:150*20MM

SIZE:160*20MM

WPC COLUMN



SIZE:120*120mm/150*150mm



SIZE:80*45mm/50*100mm



SIZE:50*50mm

ACCESSORIES



WPC FENCE



Pillar cap



Aluminum Alloy Pillar base



Side strips

WPC COLUMN



Column Connecting parts



Angle code



Handrail Connecting parts

WPC DECKING AND WALL PANEL



Floor start clips



Plastic Floor Clips



5mm gap stainless steel floor clips



Seamless Stainless Steel Floor Clips



Clips



Screws



Expansion screws



Pedestal

SPE FLOORING



Material

Pvc resin and stone powder

Size

183*1220mm/230*1500mm(customized)

Thickness

4mm 5mm 6mm(customized)

Wear layer

0.3mm 0.5mm(customized)

Silent pad

1mm 1.5mm 2mm(EVA/IXPE)

Hot sale color

*Contact us for more colors



6630



6631



6634



6637



6651



6662



6666



6732

ACOUSTIC WALL PANEL



Width


600mm (can be customized)

Length

2400mm/2800mm/2900mm

Thickness

21mm (can be customized)



Hot sale color



Technical Walnut JK



Technical White Oak



Technical Black Oak



Technical Smoke Walnut



Natural Walnut



Natural White Oak



Natural Black Oak



Natural Grey Oak

HEXAYON ACOUSTIC WALL PANEL




Size
693mm*567mm*18mm



Size
260mm*298mm*21mm

More Models



665*652*21mm



640*691*21mm



600*600*21mm



600*600*21mm



600*600*21mm



600*600*21mm

UV MARBLE SHEET

Size

1220*2440mm/2800mm/2900mm
length can be customized

Thickness

2mm/2.5mm/2.8mm/3mm

Film

Heat transfer film/Pvc flm

Surface

- High glossy/Matt
- Mirror glossy/Skin feel
- Rocked stone
- 3D printing

Application

Family/Hospital/Mall/Hotel/Kindergarten/Gym,etc

Heat transfer film



8146



8228



8267-1



8231



UV MARBLE SHEET

PVC film



8041A



8038B



8053A



8056A

Rocked stone



8849-4



YSB3701



8852-1



8851-1

Gilded film




DY-166



LJ60002T




LJ24805



LJ8001T

3D Printing



PS Wall Panel




PS Skirting




Color Options : Wood Sereis



XH-P19




XH-P80



XH-P1




XH-P33




XH-P71



XH-P24




XH-P77




XH-P6


Color Options : Cloth Pattern Series




XH-P93




XH-P91



XH-P87



XH-P89



XH-P94



XH-P92



XH-P88




XH-P95


Color Options : Skin feel monochrome series



Skin Texture -White



XH-P113 Matte White



Skin Texture -Milk Tea



XH-P112 Hermes orange peel pattern




Skin Texture -Wine Red



Skin texture- Grass green



XH-P100 Milk Coffee



XH-P109- Dark Grey

Color Options : Stone Series



XH-P123



XH-P124



XH-P134



XH-P123



XH-P130



XH-P129



XH-P125



XH-P133

COLOR OPTIONS



Metal 1



Metal 2




Metal 5




Metal 6



Metal 3



Metal 4




Metal 7




Metal 8


COLOR OPTIONS




Metal 9



Metal 10




Colorful Metal 1



Colorful Metal 2



Metal 11



Metal 12



Colorful Metal 3



Mosaic 2


COLOR OPTIONS



swatch



XHP-24



XHP-40



XHP-05



XHP-14



XHP-26



XHP-36



XHP-46



XHP-53

THANKS

CONTACT US

ITALY -HONG KONG-DUBAI-PANAMA-PRC

<https://www.brunonicooffice.com/about-us>

Mob: 0039 338 1210060 Lapo Nicoletti

Email: lapo.nicoletti@mework-office.com